# MA 116 B1 Assignment 3

Due Friday July 18 11:59 pm

In class discussion of Assignment 3 questions: 12:30-12:50 MonTueWed.

## Concepts

A hypothesis is a statement regarding a characteristic of one or more population parameters.

Hypothesis testing is a procedure, based on sample evidence and probability, used to test a hypothesis.

The number hypothesis, denoted  $H_0$ , is a statement to be tested. The null hypothesis is a statement of no change, no effect, or no difference and is assumed true until evidence indicates otherwise.

The alternative hypothesis, denoted  $H_1$ , is a statement that we are trying to find evidence to support.

#### Question 1

You and your friend decide to play a coin-flipping game. If the coin comes up heads, you win; if it comes up tails, your friend wins. Now your friend flips their coin 7 times and the result is T, T, T, T, T, T, T, T. You want to argue that your friend is cheating; i.e., their coin is unfair and has a larger probability of getting T (tail) than getting T (head). Let T0 represent the probability of getting T1 (head) when your friend's coin is flipped once.

- (a) State your null hypothesis  $H_0$  and your alternative hypothesis  $H_1$ .
- (b) You flip your friend's coin n times to collect a sample of size n. Suppose this sample provides insufficient evidence to support your  $H_1$ . State the conclusion of your hypothesis test.

- (c) Consider the hypothesis test performed in part (b). Only Type II Error may happen in this hypothesis test. Explain the reason.
- (d) Describe what it would mean in context if a Type II Error occurs in the hypothesis test in part (b).

### Question 2

Apolitician hires a polling firm to obtain a random sample of size 1000 registered voters in their district and finds that 534 are in favor of a policy. Do these results suggest that among all registered voters, more than 50% favor the policy? Conduct a hypothesis test at a significance level  $\alpha = 0.05$ .

## Hypothesis test-classical approach-Steps

- Step I. State the null and alternative hypothesis and determine the type of the test.
- Step II. Assume the null hypothesis is true. Define a new variable (z or t). Determine the distribution of this new variable (standard normal distribution or Student's t-distribution).
- Step III. Find the critical value(s) and the critical region based on the test type and the level of significance  $\alpha$ .
- Step IV. Calculate the test statistic from your definition of the new variable.
- Step V. If the test statistic falls in the critical region, reject the null hypothesis. Otherwise, do not reject the null hypothesis. State the conclusion.

### Question 3

In 1994, 52% of parents with children in high school felt it was a serious problem that high school students were not being taught enough math and science. A recent survey found that 256 of 800 parents with children in high school felt it was a serious problem that high school students were not being taught enough math and science. Do parents feel differently today than they did in 1994? Use  $\alpha = 0.05$  level of significance.

#### Question 4

A tech company wants to test whether a recent update to their mobile app has changed

the rate of users clicking the "Start Trial" button. In the older version of this app, the rate was only 30%. The company collects a random sample of 2000 users, and finds that 760 users clicked the "Start Trial" button.

- (a) Conduct a hypothesis test using a classical approach at a level of significence  $\alpha = 0.02$ .
- (b) Only Type \_\_\_ Error could happen in your hypothesis test in part (a). Describe what it would mean in context if this error occurs in the hypothesis test in part (a). Explain the reason that the other error type can't happen in this hypothesis test.
- (c) Conduct a hypothesis test using a confidence interval approach at a level of significence  $\alpha = 0.02$ .

### Question 5

Federal law requires that a jar of peanut butter that is labeled as containing 32 ounces must contain at least 32 ounces. A consumer advocate feels that a certain peanut butter manufacturer is shorting customers by underfilling the jars. The following sample is collected.

Index (i)	Weight (x)
1	31
2	30
3	32
4	32
5	30

- (a) Find the sample mean  $\overline{x}$  and the sample standard deviation s of this sample. Use the formulas for  $\overline{x}$  and s. Show all steps in your calculation. Do not use a graphing calculator's or other technologies' built-in average or standard deviation functions.
- (b) Conduct a hypothesis test at a significance level  $\alpha = 0.1$  using a classical approach.

### Question 6

To test  $H_0$ :  $\mu = 105$  versus  $H_1$ :  $\mu \neq 105$ , a simple random sample of size n = 35 is obtained.

- (a) Does the population have to be normally distributed to test this hypothesis by using a classical approach that involves a Student's t-distribution? Why?
- (b) If  $\overline{x} = 101.9$  and s = 5.9, conduct a hypothesis test using a classical approach at  $\alpha = 0.01$ .
- (c) From another random sample of size 35, we observe  $\overline{x} = 106.3$  and s = 3.1. Conduct a hypothesis test using a confidence interval approach at  $\alpha = 0.01$ .




Table	V									
Standard Normal Distribution										
z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
-3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
-3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
-3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
-3.1 $-3.0$	0.0010 0.0013	0.0009 0.0013	0.0009 0.0013	0.0009 0.0012	0.0008 0.0012	0.0008 0.0011	0.0008 0.0011	0.0008 $0.0011$	0.0007 0.0010	0.0007 0.0010
-2.9 $-2.8$	0.0019 0.0026	0.0018 0.0025	0.0018 0.0024	0.0017 0.0023	0.0016 0.0023	0.0016 0.0022	0.0015 0.0021	0.0015 0.0021	0.0014 0.0020	0.0014
-2.6 $-2.7$	0.0026	0.0023	0.0024	0.0023	0.0023	0.0022	0.0021	0.0021	0.0020	0.0019
-2.6	0.0047	0.0034	0.0033	0.0032	0.0031	0.0040	0.0029	0.0028	0.0027	0.0026
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1 $-2.0$	0.0179 0.0228	0.0174 0.0222	0.0170 0.0217	0.0166	0.0162 0.0207	0.0158 0.0202	0.0154	0.0150 0.0192	0.0146	0.0143
				0.0212			0.0197		0.0188	0.0183
-1.9 -1.8	0.0287 0.0359	0.0281 0.0351	0.0274 0.0344	0.0268 0.0336	0.0262 0.0329	0.0256 0.0322	0.0250 0.0314	0.0244 0.0307	0.0239 0.0301	0.0233 0.0294
-1.6 -1.7	0.0339	0.0331	0.0344	0.0330	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.1 $-1.0$	0.1357 0.1587	0.1335 0.1562	0.1314 0.1539	0.1292 0.1515	0.1271 0.1492	0.1251 0.1469	0.1230 0.1446	0.1210 0.1423	0.1190 0.1401	0.1170 0.1379
-0.9										
-0.9 -0.8	0.1841 0.2119	0.1814 0.2090	0.1788 0.2061	0.1762 0.2033	0.1736 0.2005	0.1711 0.1977	0.1685 0.1949	0.1660 0.1922	0.1635 0.1894	0.1611 0.1867
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.1922	0.1074	0.1307
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.1 $-0.0$	0.4602 0.5000	0.4562 0.4960	0.4522 0.4920	0.4483 0.4880	0.4443 0.4840	0.4404 0.4801	0.4364 0.4761	0.4325 0.4721	0.4286 0.4681	0.4247 0.4641
0.0	0.5000	0.4900	0.4920	0.4000	0.4040	0.4001	0.4701	0.4/21	0.4001	0.4041




Table V (continued)										
Standard Normal Distribution										
z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9977	0.9978	0.9979	0.9979	0.9980	0.9981
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998




Table VII												
t-Distribution												
Degrees o		Area in Right Tail										
Freedom	0.25	0.20	0.15	0.10	0.05	0.025	0.02	0.01	0.005	0.0025	0.001	0.0005
1 2	1.000	1.376	1.963	3.078	6.314	12.706	15.894	31.821	63.657	127.321	318.309	636.619
	0.816	1.061	1.386	1.886	2.920	4.303	4.849	6.965	9.925	14.089	22.327	31.599
3 4	0.765	0.978	1.250	1.638	2.353	3.182	3.482	4.541	5.841	7.453	10.215	12.924
	0.741	0.941	1.190	1.533	2.132	2.776	2.999	3.747	4.604	5.598	7.173	8.610
5	0.727	0.920	1.156	1.476	2.015	2.571	2.757	3.365	4.032	4.773	5.893	6.869
6 7	0.718	0.906	1.134	1.440	1.943	2.447	2.612	3.143	3.707	4.317	5.208	5.959
	0.711	0.896	1.119	1.415	1.895	2.365	2.517	2.998	3.499	4.029	4.785	5.408
8	0.706	0.889	1.108	1.397	1.860	2.306	2.449	2.896	3.355	3.833	4.501	5.041
	0.703	0.883	1.100	1.383	1.833	2.262	2.398	2.821	3.250	3.690	4.297	4.781
10	0.700	0.879	1.093	1.372	1.812	2.228	2.359	2.764	3.169	3.581	4.144	4.587
11	0.697	0.876	1.088	1.363	1.796	2.201	2.328	2.718	3.106	3.497	4.025	4.437
12	0.695	0.873	1.083	1.356	1.782	2.179	2.303	2.681	3.055	3.428	3.930	4.318
13	0.694	$0.870 \\ 0.868$	1.079	1.350	1.771	2.160	2.282	2.650	3.012	3.372	3.852	4.221
14	0.692		1.076	1.345	1.761	2.145	2.264	2.624	2.977	3.326	3.787	4.140
15 16	0.691	0.866	1.074 1.071	1.341 1.337	1.753 1.746	2.131 2.120	2.249	2.602 2.583	2.947 2.921	3.286 3.252	3.733 3.686	4.073 4.015
17	0.689	0.863	1.069	1.333	1.740	2.110	2.224	2.567	2.898	3.222	3.646	3.965
18	0.688	0.862	1.067	1.330	1.734	2.101	2.214	2.552	2.878	3.197	3.610	3.922
19	0.688	0.861	1.066	1.328	1.729	2.093	2.205	2.539	2.861	3.174	3.579	3.883
20 21	0.687	0.860	1.064	1.325 1.323	1.725 1.721	2.086	2.197 2.189	2.528 2.518	2.845 2.831	3.153 3.135	3.552 3.527	3.850 3.819
22	0.686	0.858	1.061	1.321	1.717	2.074	2.183	2.508	2.819	3.119	3.505	3.792
23	0.685	0.858	1.060	1.319	1.714	2.069	2.177	2.500	2.807	3.104	3.485	3.768
24	0.685	0.857	1.059	1.318	1.711	2.064	2.172	2.492	2.797	3.091	3.467	3.745
25 26	0.684	0.856	1.058 1.058	1.316 1.315	1.708 1.706	2.060	2.167 2.162	2.485 2.479	2.787 2.779	3.078 3.067	3.450 3.435	3.725 3.707
27	0.684	0.855	1.057	1.314	1.703	2.052	2.158	2.473	2.771	3.057	3.421	3.690
28	0.683	0.855	1.056	1.313	1.701	2.048	2.154	2.467	2.763	3.047	3.408	3.674
29	0.683	0.854	1.055	1.311	1.699	2.045	2.150	2.462	2.756	3.038	3.396	3.659
30	0.683	0.854	1.055	1.310	1.697	2.042	2.147	2.457	2.750	3.030	3.385	3.646
31	0.682	0.853	1.054	1.309	1.696	2.040	2.144	2.453	2.744	3.022	3.375	3.633
32	0.682	0.853	1.054	1.309	1.694	2.037	2.141	2.449	2.738	3.015	3.365	3.622
33	0.682	0.853	1.053	1.308	1.692	2.035	2.138	2.445	2.733	3.008	3.356	3.611
34	0.682	0.852	1.052	1.307	1.691	2.032	2.136	2.441	2.728	3.002	3.348	3.601
35	0.682	0.852	1.052	1.306	1.690	2.030	2.133	2.438	2.724	2.996	3.340	3.591
36	0.681	0.852	1.052	1.306	1.688	2.028	2.131	2.434	2.719	2.990	3.333	3.582
37	0.681	0.851	1.051	1.305	1.687	2.026	2.129	2.431	2.715	2.985	3.326	3.574
38	0.681	0.851	1.051	1.304	1.686	2.024	2.127	2.429	2.712	2.980	3.319	3.566
39	0.681	0.851	1.050	1.304	1.685	2.023	2.125	2.426	2.708	2.976	3.313	3.558
40	0.681	0.851	1.050	1.303	1.684	2.021	2.123	2.423	2.704	2.971	3.307	3.551
50	0.679	0.849	1.047	1.299	1.676	2.009	2.109	2.403	2.678	2.937	3.261	3.496
60	0.679	0.848	1.045	1.296	1.671	2.000	2.099	2.390	2.660	2.915	3.232	3.460
70	0.678	0.847	1.044	1.294	1.667	1.994	2.093	2.381	2.648	2.899	3.211	3.435
80	0.678	0.846	1.043	1.292	1.664	1.990	2.088	2.374	2.639	2.887	3.195	3.416
90	0.677	0.846	1.042	1.291	1.662	1.987	2.084	2.368	2.632	2.878	3.183	3.402
100	0.677	0.845	1.042	1.290	1.660	1.984	2.081	2.364	2.626	2.871	3.174	3.390
1000	0.675	0.842	1.037	1.282	1.646	1.962	2.056	2.330	2.581	2.813	3.098	3.300
z	0.674	0.842	1.036	1.282	1.645	1.960	2.054	2.326	2.576	2.807	3.090	3.291

Reference of the standard normal distribution table and the Student's t-distribution table. STATISTICS: Informed Decisions Using Data, Michael Sullivan, 7e.